# Amhaze ECO

# **User Manual**



Model ID: (120V): AMHAZEECO Model ID: (220V): 220VAMHAZEECO





# **Edition Notes**

The AmHaze ECO User Manual includes a description, safety precautions, installation, programming, operation, and maintenance instructions for the AmHaze ECO as of the release of this edition.

## **Trademarks**

Chauvet, Chauvet Professional, the Chauvet logo, and Amhaze are registered trademarks or trademarks of Chauvet & Sons, LLC (d/b/a Chauvet and Chauvet Lighting) in the United States and other countries. Other company and product names and logos referred to herein may be trademarks of their respective companies.

# **Copyright Notice**

The works of authorship contained in this manual, including, but not limited to, all designs, text, and images are owned by Chauvet.

## © Copyright 2025 Chauvet & Sons, LLC. All rights reserved.

Electronically published by Chauvet in the United States of America.

#### Manual Use

Chauvet authorizes its customers to download and print this manual for professional information purposes only. Chauvet expressly prohibits the usage, copy, storage, distribution, modification, or printing of this manual or its content for any other purpose without written consent from Chauvet.

# **Document Printing**

For best results, print this document in color, on letter size paper (8.5 x 11 in), double-sided. If using A4 paper (210 x 297 mm), configure the printer to scale the content accordingly.

## **Intended Audience**

Any person installing, operating, and/or maintaining this product should completely read through the guide that shipped with the product, as well as this manual, before installing, operating, or maintaining this product.

## Disclaimer

Chauvet believes that the information contained in this manual is accurate in all respects. However, Chauvet assumes no responsibility and specifically disclaims any and all liability to any party for any loss, damage, or disruption caused by any errors or omissions in this document, whether such errors or omissions result from negligence, accident, or any other cause. Chauvet reserves the right to revise the content of this document without any obligation to notify any person or company of such revision, however, Chauvet has no obligation to make, and does not commit to make, any such revisions.

## **Document Revision**

Go to www.chauvetprofessional.com for the latest version.

| Revision | Date    | Description                                |
|----------|---------|--|
| 5        | 10/2025 | Added Required Accessories in Tech. Specs. |



# **TABLE OF CONTENTS**

| 1. | Edition Notes  | 1     |
|----|--|-------|
|    | Trademarks   | 1     |
|    | Copyright Notice                                       | 1     |
|    | Manual Use   | 1     |
|    | Document Printing                                      | 1     |
|    | Intended Audience                                      | 1     |
|    | Disclaimer   | 1     |
|    | Discialifier   | 1     |
| 4  | Document Revision                                      |       |
| 1. | Before You Begin                                       | 1     |
|    | what is included                                       | 1     |
|    | Claims   | 1     |
|    | Text Conventions                                       | 1     |
|    | Symbols  | 1     |
|    | Safety Notes   | 2     |
| 2. | Introduction   | 3 3   |
|    | Features   | 3     |
|    | Product Overview                                       | 2     |
|    | Product Dispersions                                    |       |
| _  | Product Dimensions                                     | 4     |
| 3. | Setup  | 5     |
|    | AC Power   | 5     |
|    | AC Plug  | 5 5 5 |
|    | Resetting the Breaker                                  | 5     |
|    | DMX Linking  | 5     |
|    | DMX Personalities                                      | 5     |
|    | Remote Device Management                               |       |
|    | Mounting   | 6     |
|    | Orientation  | 6     |
|    | Rigging Procedure                                      | 6     |
|    | Procedure  | 6     |
| 4. | Operation  | 7     |
|    | Control Panel Description                              | 7     |
|    | Control Options  | 7     |
|    | Programming  | 7     |
|    | Menu Map   | 7     |
|    | RDM Chart  | 8     |
|    | DMX Configuration                                      | 10    |
|    | Starting Address                                       | 10    |
|    | Starting AddressControl Channel Assignments and Values | 11    |
|    | 3-Channel  |       |
|    | Standalone Configuration.                              |       |
|    | Haze Output  |       |
|    | Fan Speed  | 11    |
|    | Timer Interval   | 11    |
|    | Timer Duration   |       |
|    | Settings Configuration                                 |       |
|    | RDM-UID  |       |
|    | Fluid Sensor   |       |
|    | Auto Run Last Setting                                  |       |
|    | Auto Shutdown  |       |
|    | Priming the Pump                                       | 12    |
| 5. | Maintenance  | 13    |
| ٠. | Fog Machine Maintenance                                | 13    |
|    | Storage  |       |
| 6  | Technical Specifications                               | 14    |
|    |  |       |
| C  |  |       |
|    | Warranty & Returns                                     | 15    |



# 1. Before You Begin

# What Is Included

- AmHaze ECO
- Seetronic Powerkon IP65 power cable

#### Quick Reference Guide

# **Claims**

Carefully unpack the product immediately and check the container to make sure all the parts are in the packagé and are in good condition.

If the box or the contents (the product and included accessories) appear damaged from shipping, or show signs of mishandling, notify the carrier immediately, not Chauvet. Failure to report damage to the carrier immediately may invalidate the claim. In addition, keep the box and contents for inspection.

For other issues, such as missing components or parts, damage not related to shipping, or concealed damage, file a claim with Chauvet within 7 days of delivery.

#### **Text Conventions**

| Convention  | Meaning  |  |  |  |
|---|--|--|--|--|
| 1–512 A range of values                               |  |  |  |  |
| 50/60 A set of values of which only one can be chosen |  |  |  |  |
| Settings A menu option not to be modified             |  |  |  |  |
| <enter></enter>                                       | A key to be pressed on the product's control panel |  |  |  |

# **Symbols**

| Symbol     | Meaning   |
|------------|---|
| <u></u>    | Critical installation, configuration, or operation information. Not following these instructions may make the product not work, cause damage to the product, or cause harm to the operator. |
| <b>(i)</b> | Important installation or configuration information. The product may not function correctly if this information is not used.  |
|            | Useful information.   |



Any reference to data or power connections in this manual assumes the use of Seetronic IP-rated cables.

The term "DMX" used throughout this manual refers to the USITT DMX512-A digital data transmission protocol.
Connection of the control signal: DMX line



- The product has XLR sockets for DMX input and output.
- Notice: This control circuit is isolated and belongs to the Class 2 data port.

The control circuit has a cumulative leakage current of less than 3.5 mA.



# **Safety Notes**

These Safety Notes include important information about installation, use, and maintenance of the AmHaze ECO.

#### CAUTION:

- This product's housing may be hot when operating. Mount this product in a location with adequate ventilation, at least 20 in (50 cm) from adjacent surfaces.
- When transferring the product from extreme temperature environments, (e.g., cold truck to warm humid ballroom) condensation may form on the internal electronics of the product. To avoid causing a failure, allow the product to fully acclimate to the surrounding environment before connecting it to power.

#### ALWAYS:

- Disconnect from power before cleaning the product or replacing the fuse.
- Replace the fuse with the same type and rating.
- Use a safety cable when mounting this product overhead.
- Connect this product to a grounded and protected circuit.
- Drain the tank before transporting the product.

#### DO NOT:

- Open this product. It contains no user-serviceable parts.
- Leave any flammable material within 3.3 ft (1 m) of this product while operating or connected to power.
- Connect this product to a dimmer or rheostat.
- Operate this product if the housing, hoses, fluid tank, or cables appear damaged.
- Operate this product outdoors or in any location where dust, excessive heat, water, or humidity may affect it (adhere to standards for the published IP rating).
- Submerge this product (adhere to standards for the published IP rating). Regular outdoor operation is fine.



- Permanently install outdoors in locations with extreme environmental conditions. This
  includes, but is not limited to:
  - Exposure to a marine/saline environment (within 3 miles of a saltwater body of water).
  - Locations where normal temperatures exceed the temperature ranges in this manual.
  - Locations that are prone to flooding or being buried in snow.
  - Other areas where the product will be subject to extreme radiation or caustic substances.
- · Use for space-heating purposes.
- Touch the output nozzle on this product. It is very hot during operation, and it may remain hot for several hours after turning the product off.
- Add anything to the fluid.
- Drink the fluid.
- Allow the fluid to contact skin or eyes.
- ONLY use Chauvet fluids.
- Depending on the amount of fog/haze generated, all fog/haze machines may set off smoke detectors.
- The maximum ambient temperature is 113 °F (45 °C). Do not operate this product at higher temperatures.
- The minimum startup temperature is -4°F (-20°C). Do not start the product at lower temperatures.
- The minimum ambient temperature is -22°F (-30°C). Do not operate the product at lower temperatures.
- To eliminate unnecessary wear and improve its lifespan, during periods of non-use completely disconnect the product from power via breaker or by unplugging it.
- In the event of a serious operating problem, stop using immediately.




# 2. Introduction


# **Features**

- · Professional water-based haze machine
- 30-sec heat-up time nearly eliminates wait time for operation
- Achieve continuous variable haze output and fan speed via onboard adjustment knobs, timer, or DMX
- Highly efficient heating element ensures long life and consistent performance
- Onboard Fan provides excellent haze distribution and throw in your space at any volume
- Superbly efficient fluid consumption lasts up to 13.5 hours with the onboard fluid reservoir
- · Auto-shutdown feature ensures even great lifespan for permanent installations
- · Integrated timer warns when cleaning is required

# **Product Overview**




| # | Name                 | #  | Name                  |
|---|----------------------|----|-----------------------|
| 1 | Safety loop          | 8  | DMX in                |
| 2 | Carrying handles     | 9  | DMX out               |
| 3 | LCD display          | 10 | Blower fan            |
| 4 | Menu buttons         | 11 | Fluid reservoir       |
| 5 | Manual knobs         | 12 | Output nozzel         |
| 6 | Breaker reset button | 13 | Fluid level indicator |
| 7 | Power in             |    |                       |





# **Product Dimensions**





# 3. Setup

# **AC Power**

The AmHaze ECO has a fixed power supply that works with an input voltage of either 120 VAC, 60 Hz or 230 VAC, 50 Hz, depending on the specific model.

To determine the product's power requirements (circuit breaker, power outlet, and wiring), use the current value listed on the label affixed to the product's back panel, or refer to the product's specifications chart. The listed current rating indicates the product's average current draw under normal conditions.



- Always connect the product to a protected circuit (a circuit breaker or fuse). Make sure
  the product has an appropriate electrical ground to avoid the risk of electrocution or
  fire.
- To eliminate unnecessary wear and improve its lifespan, during periods of non-use completely disconnect the product from power via breaker or by unplugging it.



Never connect the product to a rheostat (variable resistor) or dimmer circuit, even if the rheostat or dimmer channel serves only as a 0 to 100% switch.

## **AC Plug**

The AmHaze ECO comes with a power input cord terminated with a Seetronic Powerkon A connector on one end and an Edison plug on the other end (U.S. market). If the power input cord that came with the product has no plug, or if the user needs to change the plug, use the table below to wire the new plug.

| Connection | Wire (U.S.)  | Wire (Europe) | Screw Color     |
|------------|--------------|---------------|-----------------|
| AC Live    | Black        | Brown         | Yellow or Brass |
| AC Neutral | White        | Blue          | Silver          |
| AC Ground  | Green/Yellow | Green/Yellow  | Green           |

## Resetting the Breaker

This product is equipped with a resettable circuit breaker. If the breaker trips, all sections of this product will lose power.

- 1. Remove the power cord from main power.
- 2. Allow unit to cool for 15 minutes.
- 3. After 15 minutes, user may attempt to reset the breaker by pressing the button with their finger.
- 4. Plug the product's power cord into the power outlet and continue using as recommended.

# **DMX Linking**

The AmHaze ECO can link to a DMX controller using a 3-pin or 5-pin DMX connection. If using other DMX-compatible products with this product, user can control each individually with a single DMX controller.

#### **DMX Personalities**

The AmHaze ECO uses a 3-pin or 5-pin DMX data connection for the 3-channel DMX personality.



For more information about DMX standards, Master/Slave connectivity, or the DMX cables needed to link this product to a DMX controller, download the DMX Primer from the Chauvet website: <a href="https://www.chauvetprofessional.com">www.chauvetprofessional.com</a>.

## **Remote Device Management**

Remote Device Management, or RDM, is a standard for allowing DMX-enabled devices to communicate bi-directionally along existing DMX cabling. Check the DMX controller's User Manual or with the manufacturer as not all DMX controllers have this capability. The AmHaze ECO supports RDM protocol that allows feedback to make changes to menu map options.



# Mounting

Before mounting the product, read and follow the safety recommendations indicated in the <u>Safety Notes</u>. For our Chauvet Professional line of mounting clamps, go to <a href="http://trusst.com/products/">http://trusst.com/products/</a>.

#### Orientation

Always mount this product in a safe position, making sure there is adequate room for ventilation, configuration, and maintenance.

## Rigging


Chauvet recommends using the following general guidelines when mounting this product.

- Before deciding on a location for the product, make sure there is easy access to the product for maintenance and programming purposes.
- Make sure that the structure and attachment points can support the weight before hanging the product (see the Technical Specifications for weight information).
- When mounting the product overhead, always use a safety cable. Mount the product securely to a rigging point, whether an elevated platform or a truss.
- When rigging the product onto a truss, use a mounting clamp of appropriate weight capacity.
- When power linking multiple products, mount the products close enough for power-linking cables to reach.

#### **Procedure**

The AmHaze ECO comes with an threaded socket which can receive M12 bolts that are directly attached to mounting clamps. Mounting clamps are sold separately. Make sure the clamps are capable of supporting the weight of this product. For the Chauvet Professional line of mounting clamps, go to <a href="http://www.trusst.com/products">http://www.trusst.com/products</a>.

## **Mounting Diagram**





# 4. Operation

# **Control Panel Description**

| Button                  | Function   |
|-------------------------|--|
| <menu></menu>           | Exits from the current menu or function  |
| <up timer=""></up>      | UP navigates upwards through the menu list and increases the numeric value when in a function.  TIMER starts the timer controlled operation.                           |
| <down volume=""></down> | <b>DOWN</b> navigates downwards through the menu list and decreases the numeric value when in a function. <b>VOLUME</b> triggers the pump to modify the output volume. |
| <enter stop=""></enter> | <b>ENTER</b> enables the currently displayed menu or sets the currently selected value into the selected function. <b>STOP</b> turns the fog output off.               |
| HAZE FAN knob           | Manually controls the fan speed, 0–100%  |
| <b>HAZE VOLUME</b> knob | Manually controls the haze volume, 0–100%  |

# **Control Options**

Set the AmHaze ECO starting address in the 001–510 DMX range. This enables control of up to 170 products.

# **Programming**

Refer to the Menu Map to understand the menu options. The menu map shows the main level and a variable number of programming levels for each option.

- To go to the desired main level, press <MENU> repeatedly until the option shows on the display.
   Press <ENTER> to select. The first programming level for that option will show on the display.
- To select an option or value within the current programming level, press **<UP>** or **<DOWN>** until the option shows on the display. Press **<ENTER>** to select. The selected value or the first option of the next programming level will show on the display.
- Press <MENU> repeatedly to exit to the previous main level.

# Menu Map

Refer to the AmHaze ECO product page on www.chauvetprofessional.com for the latest menu map.

| Main Level            | Programming Levels | Description  |  |  |  |
|-----------------------|--------------------|--|--|--|--|
| Haze Output           | 1–100%             | Haze volume 1–100%   |  |  |  |
| Fan Speed             | 1–100%             | Fan speed (slow to fast)   |  |  |  |
| Timer Interval        | 5-600S             | Sets the interval of haze outputs  |  |  |  |
| Timer Duration        | 5-300S             | Sets the duration of the haze output   |  |  |  |
| DMX Address           | 1–512              | Selects the DMX starting address   |  |  |  |
| RDM-UID               |                    | Unique identification number   |  |  |  |
| Fluid Sensor          | ON                 | Turns the fluid sensor ON or OFF   |  |  |  |
| i idid Selisoi        | OFF                | Turns the hulu selisor On or OFF   |  |  |  |
| Auto Run Last Setting | YES                | Automatically set the values to previous   |  |  |  |
| Auto Run Last Setting | NO                 | selections   |  |  |  |
|                       | YES                | Press and hold <b><enter stop=""></enter></b> when   |  |  |  |
| Self-Clean & Shutdown | NO                 | performing <b>Self-Clean</b> . Self-clean mode will begin counting down from 180 seconds to 4 seconds, then shut down after 3 seconds. |  |  |  |
| Auto Shutdown         | ON                 | Turns off all functions  |  |  |  |
| Auto Silutuowii       | OFF                | Turns on an functions  |  |  |  |



# **RDM Chart**

Refer to the AmHaze ECO product page on <a href="www.chauvetprofessional.com">www.chauvetprofessional.com</a> for the latest RDM chart.

| Category        | RDM Parameter ID's (Slots 21-22) | Value  | Required | GET Allowed | SET Allowed | Chauvet     | Detail  |
|-----------------|----------------------------------|--------|----------|-------------|-------------|-------------|---|
|                 | DISC_UNIQUE_BRANCH               | 0x0001 | ~        |             |             | ~           |   |
|                 | DISC_MUTE                        | 0x0002 | ~        |             |             | ~           |   |
| Network         | DISC_UN_MUTE                     | 0x0003 | ~        |             |             | ~           |   |
| Management      | PROXIED_DEVICES                  | 0x0010 |          | ~           |             |             |   |
|                 | PROXIED_DEVICE_COUNT             | 0x0011 |          | ~           |             |             |   |
|                 | COMMS_STATUS                     | 0x0015 |          | ~           | ~           |             |   |
| ·               | QUEUED_MESSAGE                   | 0x0020 |          | ~           |             | ~           | Fluid level Low, Fail to Heat                         |
|                 | STATUS_MESSAGES                  | 0x0030 |          | ~           |             | ~           | Temperature   |
| Status          | STATUS_ID_DESCRIPTION            | 0x0031 |          | ~           |             | ~           |   |
| Collection      | CLEAR_STATUS_ID                  | 0x0032 |          |             | ~           | ~           |   |
|                 | KLSHOLD                          | 0x0033 |          | ~           | ~           |             |   |
| RDM             | SUPPORTED_PARAMETERS             | 0x0050 | ~        | ~           |             | ~           |   |
| Information     | PARAMETER_DESCRIPTION            | 0x0051 | ~        | ~           |             | ~           |   |
|                 | DEVICE_INFO                      | 0x0060 | ~        | ~           |             | ~           |   |
|                 | PRODUCT_DETAIL_ID_LIST           | 0x0070 |          | ~           |             |             |   |
|                 | DEVICE_MODEL_DESCRIPTION         | 0800x0 |          | ~           |             |             | Amhaze ECO  |
|                 | MANUFACTURER_LABEL               | 0x0081 |          | ~           |             |             | Chauvet Professional                                  |
|                 | DEVICE_LABEL                     | 0x0082 |          | ~           | ~           |             | Amhaze ECO  |
| Product         | FACTORY_DEFAULTS                 | 0x0090 |          | ~           | ~           | ~           |   |
| Information     | LANGUAGE_CAPABILITIES            | 0x00A0 |          | ~           |             |             |   |
|                 | LANGUAGE                         | 0x00B0 |          | ~           | ~           |             |   |
|                 | SOFTWARE_VERSION_LABEL           | 0x00C0 | ~        | ~           |             |             |   |
|                 | BOOT_SOFTWARE_VERSION_ID         | 0x00C1 |          | ~           |             |             |   |
|                 | BOOT_SOFTWARE_VERSION_LAB        | 0x00C2 |          | ~           |             |             |   |
|                 | DMX_PERSONALITY                  | 0x00E0 |          | ~           | ~           | ~           |   |
|                 | DMX_PERSONALITY_DESCRIPTION      | 0x00E1 |          | ~           |             | ~           |   |
|                 | DMX_START_ADDRESS                | 0x00F0 | ~        | ~           | ~           | ~           |   |
|                 | SLOT_INFO                        | 0x0120 |          | ~           |             | ~           |   |
| DMX512<br>Setup | SLOT_DESCRIPTION                 | 0x0121 |          | ~           |             | ~           |   |
|                 | DEFAULT_SLOT_VALUE               | 0x0122 |          | ~           |             | ~           |   |
|                 | DMX_BLOCK_ADDRESS                | 0x0140 |          | ~           | ~           |             |   |
|                 | DMX_FAIL_MODE                    | 0x0141 |          | ~           | ~           | ~           | Retain last DMX values<br>Reset all values to DMX-000 |
|                 | DMX_STARTUP_MODE                 | 0x0142 |          | >           | ~           | >           | No function Prime pump                                |
|                 | SENSOR_DEFINITION                | 0x0200 |          | >           |             | <b>&gt;</b> | Min Value(C) Max Value (C)                            |
| Sensors         | SENSOR_VALUE                     | 0x0201 |          | >           | <b>&gt;</b> | <b>&gt;</b> | Display sensor value in C                             |
|                 | RECORD_SENSORS                   | 0x0202 |          |             | ~           |             |   |



| Category      | RDM Parameter ID's (Slots 21-22)     | Value  | Required | GET Allowed | SET Allowed | Chauvet | Detail   |
|---------------|--------------------------------------|--------|----------|-------------|-------------|---------|--|
|               | DIMMER_INFO                          | 0x0340 |          | <b>~</b>    | 0)          |         |  |
|               | MINIMUM LEVEL                        | 0x0341 |          | ~           | >           |         |  |
|               | MAXIMUM_LEVEL                        | 0x0342 |          | ~           | >           |         |  |
|               | CURVE                                | 0x0343 |          | ~           | >           |         |  |
| Dimmer        | CURVE_DESCRIPTION                    | 0x0344 |          | ~           |             |         |  |
| Settings      | OUTPUT_RESPONSE_TIME                 | 0x0345 |          | ~           | >           |         |  |
| J             | OUTPUT_RESPONSE_TIME_DESCR IPTION    | 0x0346 |          | ~           |             |         |  |
|               | MODULATION_FREQUENCY                 | 0x0347 |          | ~           | >           |         |  |
|               | MODULATION_FREQUENCY_DESC<br>RIPTION | 0x0348 |          | ~           |             |         |  |
|               | DEVICE_HOURS                         | 0x0400 |          | ~           | >           | ~       | Total Runtime for life of product  |
| Power         | LAMP_HOURS                           | 0x0401 |          | •           | >           | •       | Shows the runtime since last cleaning cycle was performed. Resets once Cleaning Cycle has been performed |
| Settings      | LAMP_STRIKES                         | 0x0402 |          | ~           | >           |         |  |
|               | LAMP_STATE                           | 0x0403 |          | ~           | >           |         |  |
|               | LAMP_ON_MODE                         | 0x0404 |          | ~           | >           |         |  |
|               | DEVICE_POWER_CYCLES                  | 0x0405 |          | ~           | >           |         |  |
|               | BURN_IN                              | 0x0440 |          | ~           | >           |         |  |
| Display       | DISPLAY_INVERT                       | 0x0500 |          | ~           | >           | ~       | Normal/Inverted 180  |
| Settings      | DISPLAY_LEVEL                        | 0x0501 |          | ~           | >           |         |  |
|               | PAN_INVERT                           | 0x0600 |          | ~           | >           |         |  |
|               | TILT_INVERT                          | 0x0601 |          | <b>\</b>    | >           |         |  |
|               | PAN_TILT_SWAP                        | 0x0602 |          | >           | >           |         |  |
| Configuration |                                      | 0x0603 |          | >           | >           |         |  |
|               | LOCK_PIN                             | 0x0640 |          | ~           | >           |         |  |
|               | LOCK_STATE                           | 0x0641 |          | ~           | >           |         |  |
|               | LOCK_STATE_DESCRIPTION               | 0x0642 | ~        | ~           |             |         |  |



|               |   |        |          | ~           | _           |         |             |
|---------------|---|--------|----------|-------------|-------------|---------|-------------|
| Category      | RDM Parameter ID's (Slots 21-22)                  | Value  | Required | GET Allowed | SET Allowed | Chauvet | Detail      |
| Category      | LIST INTERFACES                                   | 0x0700 | Ř        | G           | တ           | Ö       | Detail      |
|               | INTERFACE_LABEL                                   | 0x0700 |          | •           |             |         |             |
|               | INTERFACE_LABEL INTERFACE_HARDWARE_ADDRES S_TYPE1 | 0x0701 |          | ·           |             |         |             |
|               | IPV4_DHCP_MODE                                    | 0x0703 |          | ~           | ~           |         |             |
|               | IPV4_ZEROCONF_MODE                                | 0x0704 |          | ~           | ~           |         |             |
|               | IPV4_CURRENT_ADDRESS                              | 0x0705 |          | ~           |             |         |             |
| Network       | IPV4_STATIC_ADDRESS                               | 0x0706 |          | ~           | ~           |         |             |
| Configuration | INTERFACE_RENEW_DHCP                              | 0x0707 |          |             | ~           |         |             |
|               | INTERFACE_RELEASE_DHCP                            | 0x0708 |          |             | ~           |         |             |
|               | INTERFACE_APPLY_CONFIGURATION                     | 0x0709 | ~        |             | ~           |         |             |
|               | IPV4_DEFAULT_ROUTE                                | 0x070A |          | ~           | ~           |         |             |
|               | DNS_IPV4_NAME_SERVER                              | 0x070B |          | ~           | ~           |         |             |
|               | DNS_HOSTNAME                                      | 0x070C |          | ~           | ~           |         |             |
|               | DNS_DOMAIN_NAME                                   | 0x070D |          | ~           | ~           |         |             |
|               | IDENTIFY_DEVICE                                   | 0x1000 |          | ~           | ~           | ~       |             |
|               | RESET_DEVICE                                      | 0x1001 |          |             | ~           | ~       | Yes/No      |
|               | POWER_STATE                                       | 0x1010 |          | <b>&gt;</b> | <b>&gt;</b> |         |             |
|               | PERFORM_SELFTEST                                  | 0x1020 |          | >           | >           | >       | Primes Unit |
|               | SELF_TEST_DESCRIPTION                             | 0x1021 |          | ~           |             |         | Primes Unit |
| Control       | CAPTURE_PRESET                                    | 0x1030 |          |             | <b>&gt;</b> |         |             |
|               | PRESET_PLAYBACK                                   | 0x1031 |          | ~           | ~           |         |             |
|               | IDENTIFY_MODE                                     | 0x1040 |          | ~           | ~           |         |             |
|               | PRESET_INFO                                       | 0x1041 |          | >           |             |         |             |
|               | PRESET_STATUS                                     | 0x1042 |          | >           | >           |         |             |
|               | PRESET_MERGEMODE                                  | 0x1043 |          | ~           | ~           |         |             |
|               | POWER_ON_SELF_TEST                                | 0x1044 |          | ~           | ~           |         |             |

# **DMX** Configuration

Use control configurations to operate the product with a DMX controller.

# **Starting Address**

Each product will respond to a unique starting address from the controller. All products with the same starting address will respond in unison. To set the starting address:

- 1. Go to the **DMX Address** main level.
- Select the starting address (1–512).The highest recommended starting address is 510.



# Control Channel Assignments and Values

#### 3-Channel

| Channel | Function              | Value                         | Percent/Setting       |
|---------|-----------------------|-------------------------------|-----------------------|
| 1       | Fan speed             | 000 🖘 010                     | No function           |
| Ī       | i ali specu           | 011 <code-block></code-block> | 1–100%                |
| 2       | Haze output           | 000 😂 010                     | No function           |
| 2       | naze output           | 011 <code-block></code-block> | 1–100%                |
|         |                       | 000 ⇔ 151                     | No function           |
| 3       | Remote clean function | 152 ⇔ 159                     | Remote clean function |
|         |                       | 160 ⇔ 255                     | Standby mode          |

# **Standalone Configuration**

# **Haze Output**

To adjust the haze output through the display menu:

- 1. Go to the **Haze Output** level.
- 2. Increase or decrease the value from 1-100%.

# Fan Speed

To adjust the fan speed through the display menu:

- 1. Go to the **Fan Speed** level.
- 2. Increase or decrease the value from 1-100%.

#### Timer Interval

To adjust the interval of timed haze outputs through the display menu:

- 1. Go to the **Timer Interval** level.
- 2. Increase or decrease the value from **5–600S**.

#### Timer Duration

To adjust the duration of timed haze outputs through the display menu:

- 1. Go to the Timer Duration level.
- 2. Increase or decrease the value from **5–300S**.

# **Settings Configuration**

#### RDM-UID

To view the RDM-UID of the product, go to the RDM-UID level.

#### Fluid Sensor

To enable or disable the fluid sensor function:

- 1. Go to the **Fluid Sensor** level.
- 2. Select from ON or OFF.

## **Auto Run Last Setting**

To set the control values to the last ones used:

- 1. Go to the Auto Run Last Setting level.
- 2. Select from YES or NO.

#### Auto Shutdown

To shut all functions down:

- 1. Go to the Auto Shutdown level.
- 2. Select from ON or OFF.



# **Priming the Pump**

The AmHaze ECO features an automatic shut-off function. When the fluid sensor detects no fluid in the hose, the pump automatically shuts off. Sometimes an air bubble can be caught in the hose by the fluid sensor, triggering the auto shut-off. To prevent this, the pump must be primed every time the reservoir is refilled from empty and/or every time the hose runs dry.

To prime the pump and remove all air bubbles:

- 1. Ensure the filter tip of the hose is fully submerged in the fluid.
- 2. Run the AmHaze ECO on low haze volume.
- 3. With two fingers, pinch the hose closed so nothing can pass through.



## DO NOT use fingernails or anything which may cut the hose!

- 4. Keep the hose pinched closed for 20–30 seconds. The pump will make a noise that will slowly get louder.
- 5. After at least 20–30 seconds, release the hose. Fluid should pass quickly through it, preventing any bubbles from becoming trapped.



The pump must be primed every time the reservoir is refilled, or the hose runs dry.



# 5. Maintenance

# **Fog Machine Maintenance**

Proper maintenance of Chauvet atmospheric products will increase the reliability and lifespan of products. Maintenance should be completed every 30-90 days, depending on how frequently products are used.



- When performing maintenance, use Chauvet Fog Cleaner Quart (FCQ) for U.S., or cleaning Fluid 250 (CF250) for EU products. Run the fluid through the system to reduce the accumulation of particulate matter in the heating element.
- DO NOT allow the atmospheric product to become clogged. Once a product is clogged, the cleaning procedure is unlikely to effectively clear the clog.

The recommended cleaning procedure is as follows:

- 1. Unplug the product from power.
- 2. Remove the hose from the fluid tank/reservoir. Remove the FCQ/CF250 screw cap and place the hose in the Fog Cleaner bottle.
- 3. Connect the product to power and allow it to warm up (if not already warmed up).
- 4. Run the FCQ/CF250 through the product in a well-ventilated area for 60-90 seconds of continuous, full output. Some products require multiple cycles to achieve this.



## DO NOT allow the product to run dry!

- 5. Move the hose from the FCQ/CF250 to a small bottle with distilled water (only use distilled water, not tap or any other water or liquid). Run distilled water through the product for at least 30 seconds to clear any remaining cleaning solution from the pump and heater.
  - Turn off the product when not in use or when storing.



- DO NOT leave the cleaning solution in the product.
- DO NOT operate the product without fluid at any time.
- DO NOT leave Chauvet atmospheric fluid in the product tank/reservoir for more than 10 days without use.



Fog Cleaner Quart (FCQ) and Cleaning Fluid 250 (CF250) were specifically developed by Chauvet to clean Chauvet atmospheric products equipped with heaters. Use FCQ/CF250 regularly, no longer than 90 days between cleanings (30-60 days if the product is used more frequently), to prevent shortening the life of the product.

# **Storage**

Before storing the Chauvet atmospheric product, run FCQ/CF250 through the system as described in the cleaning procedure above and do not refill the tank with atmospheric fluid before storing the product.



Test-run the Chauvet atmospheric products monthly to achieve the best performance.

Chauvet does not guarantee products will withstand storage for long durations, even if the cleaning process is followed. Please use caution and test regularly to ensure the product continues to function properly.



# 6. Technical Specifications

**Dimensions and Weight** 

 Length
 Width
 Height
 Weight

 15.86 in (403 mm)
 12.20 in (310 mm)
 10.07 in (256 mm)
 26.5 lb (12.02 kg)

Note: Dimensions in inches are rounded.

**Power** 

| Range<br>0 VAC, 60 Hz or<br>80 VAC, 50 Hz<br>120 V, 60 Hz<br>1,230 W | Voltage Selection Fixed 230 V, 50 Hz                           |
|--|--|
| 30 VAC, 50 Hz<br>1 <b>20 V, 60 Hz</b><br>1,230 W                     | 230 V, 50 Hz   |
| 1,230 W  | •  |
|  |  |
|  | 2,430 W  |
| 10.25 A  | 10.56 A  |
| S./Worldwide   | UK/Europe  |
| nic Powerkon IP65 Se   | etronic Powerkon IP65  |
| Edison (U.S.)  | Local Plug   |
|  |  |
| d Consumption  | Maximum Run-Time   |
| lons/hour (7 ml/min)   | 3 hours @ full volume  |
| Fan Speed  |  |
|  |  |
|  | S./Worldwide nic Powerkon IP65 Se Edison (U.S.)  d Consumption |

**Thermal** 

| Startup Temperature Range        | Operating Temperature Range      | Cooling System |
|----------------------------------|----------------------------------|----------------|
| 50 °F to 113 °F (10 °C to 45 °C) | 50 °F to 113 °F (10 °C to 45 °C) | Convection     |

DMX

| I/O Connector       | Channel Range |
|---------------------|---------------|
| 3-pin and 5-pin XLR | 3             |

**Required Accessories** 

| Mounting Option | Fluid      |
|-----------------|------------|
| M12 Bolt/Clamp  | PHF5L Haze |

Ordering

| Product Name      | Item Name    | Item Code | UPC Number   |
|-------------------|--------------|-----------|--------------|
| AmHaze ECO (120V) | AMHAZEECO    | 09071502  | 781462218508 |
| AmHaze ECO (230V) | 220AMHAZEECO | 09071503  | 781462218515 |









# **CONTACT US**

| General Information   | Technical Support                       |
|---|---|
| Chauvet World Headquarters                                    |   |
| Address: 3360 Davie Rd., Suite 509                            | Voice: (844) 393-7575                   |
| Davie, FL 33314   | Fax: (954) 756-8015                     |
| Voice: (954) 577-4455   | Email: chauvetcs@chauvetlighting.com    |
| Fax: (954) 929-5560   |   |
| Toll Free: (800) 762-1084                                     | Website: www.chauvetprofessional.com    |
| Chauvet U.K.  |   |
| Address: Pod 1 EVO Park                                       | Email: <u>UKtech@chauvetlighting.eu</u> |
| Little Oak Drive, Sherwood Park                               |   |
| Nottinghamshire, NG15 0EB                                     | Website: www.chauvetprofessional.eu     |
| UK  |   |
| Voice: +44 (0) 1773 511115                                    |   |
| Fax: +44 (0) 1773 511110                                      |   |
| Chauvet Benelux   |   |
| Address: Vaartlaan 9  | Email: BNLtech@chauvetlighting.eu       |
| 9800 Deinze   |   |
| Belgium   | Website: www.chauvetprofessional.eu     |
| Voice: +32 9 388 93 97  |   |
| Chauvet France  |   |
| Address: 3, Rue Ampère<br>91380 Chilly-Mazarin                | Email: FRtech@chauvetlighting.fr        |
| France  | Website: www.chauvetprofessional.eu     |
| Voice: +33 1 78 85 33 59                                      |   |
| Chauvet Germany   |   |
| Address: Bruno-Bürgel-Str. 11<br>28759 Bremen                 | Email: <u>DEtech@chauvetlighting.de</u> |
| Germany   | Website: www.chauvetprofessional.eu     |
| Voice: +49 421 62 60 20                                       |   |
| Chauvet Mexico  |   |
| Address: Av. de las Partidas 34 - 3B<br>(Entrance by Calle 2) | Email: servicio@chauvet.com.mx          |
| Zona Industrial Lerma   | Website: www.chauvetprofessional.mx     |
| Lerma, Edo. de México, CP 52000                               |   |
| Voice: +52 (728) 690-2010                                     |   |
|   |   |

# Warranty & Returns

For warranty terms and conditions and return information, please visit our website.

For customers in the United States and Mexico: <a href="www.chauvetlighting.com/warranty-registration">www.chauvetlighting.com/warranty-registration</a>.

For customers in the United Kingdom, Republic of Ireland, Belgium, the Netherlands, Luxembourg, France, and Germany: <a href="www.chauvetlighting.eu/warranty-registration">www.chauvetlighting.eu/warranty-registration</a>.