



Model ID: Cloud 9X IP 220VCloud 9X IP





# **Edition Notes**

The Cloud 9X IP User Manual includes a description, safety precautions, installation, programming, operation, and maintenance instructions for the Cloud 9X IP as of the release date of this edition.

## Trademarks

Chauvet, Chauvet Professional, the Chauvet logo, Cloud 9, and Cloud 9X IP are registered trademarks or trademarks of Chauvet & Sons, LLC (d/b/a Chauvet and Chauvet Lighting) in the United States and other countries. Other company and product names and logos referred to herein may be trademarks of their respective companies.

# **Copyright Notice**

The works of authorship contained in this manual, including, but not limited to, all designs, text, and images are owned by Chauvet.

#### © Copyright 2025 Chauvet & Sons, LLC. All rights reserved.

Electronically published by Chauvet in the United States of America.

### Manual Use

Chauvet authorizes its customers to download and print this manual for professional information purposes only. Chauvet expressly prohibits the usage, copy, storage, distribution, modification, or printing of this manual or its content for any other purpose without written consent from Chauvet.

# **Document Printing**

For best results, print this document in color, on letter size paper (8.5 x 11 in), double-sided. If using A4 paper (210 x 297 mm), configure the printer to scale the content accordingly.

### **Intended Audience**

Any person installing, operating, and/or maintaining this product should completely read through the guide that shipped with the product, as well as this manual, before installing, operating, or maintaining this product.

### Disclaimer

Chauvet believes that the information contained in this manual is accurate in all respects. However, Chauvet assumes no responsibility and specifically disclaims any and all liability to any party for any loss, damage, or disruption caused by any errors or omissions in this document, whether such errors or omissions result from negligence, accident, or any other cause. Chauvet reserves the right to revise the content of this document without any obligation to notify any person or company of such revision. However, Chauvet has no obligation to make, and does not commit to make, any such revisions.

## **Document Revision**

Go to <u>www.chauvetprofessional.com</u> for the latest version.

Revision Date Description

1 02/2025 Initial release.



# TABLE OF CONTENTS

	Before You Begin	1
	What Is Included	1
	Claims	1
	Text Conventions	1
	Symbols	1
	Safety Notes	2
	RF Exposure Warning for North America and Australia	3
2	Introduction	4
	Features	4
	Product Overview	4 5
	Product Dimensions	6
2		
5.	Setup	7
	AC Power	7
	AC Plug	7
	Resetting the Breaker	7
	Control Personalities	7
	DMX Linking	7
	DMX Personalities	7
	Remote Device Management	7
	USB Software Update	8 9
	Mounting	
	Orientation Mounting Diagram	9 9
Δ	Operation	10
	Control Panel Description	10
		10
	Control Options	
	Menu Map	
		10
	DMX Configuration	11
	DMX Configuration	11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values	11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX	11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration.	11 11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval	11 11 11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration.	11 11 11 11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration Interval Duration Volume	11 11 11 11 11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration. Volume Fan	11 11 11 11 11 11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration. Volume Fan Humidity	11 11 11 11 11 11 11 11 11 12
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration Interval Duration Volume Fan Humidity DMX	11 11 11 11 11 11 11 11 11
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration. Volume Fan Humidity DMX RDM	11 11 11 11 11 11 11 11 12 12
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration. Volume Fan Humidity DMX RDM Auto Run Last Settings	11 11 11 11 11 11 11 11 11 12 12 12
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration. Volume Fan Humidity DMX RDM	11 11 11 11 11 11 11 11 11 11 12 12 12 1
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration. Interval Duration. Volume Fan Humidity DMX RDM Auto Run Last Settings Auto-Refill.	11 11 11 11 11 11 11 11 11 11 12 12 12 1
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX Standalone Configuration Interval Duration Volume Fan Humidity DMX RDM Auto Run Last Settings Auto-Refill Heater	11 11 11 11 11 11 11 11 11 11 12 12 12 1
	DMX Configuration Starting Address DMX Channel Assignments and Values DMX. Standalone Configuration Interval Duration Volume Fan Humidity DMX RDM Auto Run Last Settings Auto-Refill Heater Wireless	11 11 11 11 11 11 11 11 11 11 12 12 12 1



5. Maintenance	13
Fog Machine Maintenance	13
Storage	13
6. Technical Specifications	14
Contact Us	15
Warranty & Returns	



# 1. Before You Begin

## What Is Included

- Cloud 9X IP
- Seetronic Powerkon IP65 power cable
- RF remote
- Male to male inlet hose
- 6ft (2m) output hose (5in, 130 mm diameter)
- Removable cover for rear panel
   Output hose inlet nozzle
- Output hose output nozzle
- Quick Reference Guide
- Quick Reference Guide

#### Claims

Carefully unpack the product immediately and check the container to make sure all the parts are in the package and are in good condition.

If the box or the contents (the product and included accessories) appear damaged from shipping, or show signs of mishandling, notify the carrier immediately, not Chauvet. Failure to report damage to the carrier immediately may invalidate a claim. In addition, keep the box and contents for inspection.

For other issues, such as missing components or parts, damage not related to shipping, or concealed damage, file a claim with Chauvet within 7 days of delivery.

# **Text Conventions**

Convention	Meaning	
1–512	1–512 A range of values	
50/60	A set of values of which only one can be chosen	
Settings A menu option not to be modified		
<b>ENTER&gt;</b> A key to be pressed on the product's control panel		

## Symbols

Symbol	Meaning
Â	Electrical warning. Not following these instructions may cause electrical damage to the product, accessories, or the user.
$\triangle$	Critical installation, configuration, or operation information. Not following these instructions may make the product not work, cause damage to the product, or cause harm to the operator.
<b>N</b>	Pinch point warning. Not following these instructions may result in damage to, or loss of, tools, digits, or limbs.
Í	Important installation or configuration information. The product may not function correctly if this information is not used.
	Useful information.

Any reference to data or power connections in this manual assumes the use of Seetronic IP-rated cables.

The term "DMX" used throughout this manual refers to the USITT DMX512-A digital data transmission protocol.

Connection of the control signal: DMX line

- The product has XLR sockets for DMX input and output.
- Notice: This control circuit is isolated and belongs to the Class 2 data port.

The control circuit has a cumulative leakage current of less than 3.5 mA.



# Safety Notes

Read all the following safety notes before working with this product. These notes contain important information about the installation, usage, and maintenance of this product.

This product contains no user-serviceable parts. Any reference to servicing in this User Manual will only apply to properly trained, certified technicians. Do not open the housing or attempt any repairs.

All applicable local codes and regulations apply to proper installation of this product.

If the external flexible cable or cord of this product is damaged, it shall be replaced by a special cord or cord exclusively available from the manufacturer or its service agent.

#### CAUTION:

- This product's housing may be hot when operating. Mount this product in a location with adequate ventilation, at least 20 in (50 cm) from adjacent surfaces.
- When transferring the product from extreme temperature environments, (e.g., cold truck to warm humid ballroom) condensation may form on the internal electronics of the product. To avoid causing a failure, allow the product to fully acclimate to the surrounding environment before connecting it to power.
- Condensation from emitted fog may form on the floor around the output nozzle. Use caution when walking in this area.

#### ALWAYS:

- When using an IP65-rated product in an outdoor environment, use IP65- (or higher) rated power and data cable.
- Replace and secure IP-rated protective covers to all power, data, USB, or other ports when not in use.
- Connect this product to a grounded and protected circuit.
- Drain the tank before transporting the product.
- DO NOT:
  - Open this product. It contains no user-serviceable parts.
  - Leave any flammable material within 30 cm of this product while operating or connected to power.
  - Connect this product to a dimmer or rheostat.
  - Operate this product if the housing, hoses, fluid tank, or cables appear damaged.
  - Submerge this product (adhere to standards for the published IP rating). Regular outdoor operation is fine.
  - Permanently install outdoors in locations with extreme environmental conditions. This includes, but is not limited to:
    - Exposure to a marine/saline environment (within 3 miles of a saltwater body of water).
    - Locations where normal temperatures exceed the temperature ranges in this manual.
    - Locations that are prone to flooding or being buried in snow.
    - Other areas where the product will be subject to extreme radiation or caustic substances.
  - Use for space-heating purposes.
  - Touch the output nozzle on this product. It is very hot during operation, and it may remain hot for several hours after turning the product off.
  - Add anything to the fluid.
  - Drink the fluid.
  - Allow the fluid to contact skin or eyes.
- ONLY use approved Chauvet fluids.
- Depending on the amount of fog/haze generated, all fog/haze machines may set off smoke detectors.
- The maximum ambient temperature is 113 °F (45 °C). Do not operate this product at higher temperatures.
- The minimum startup temperature is  $-4^{\circ}F$  (-20°C). Do not start the product at lower temperatures.
- The minimum ambient temperature is -4°F (-20°C). Do not operate the product at lower temperatures.
- To eliminate unnecessary wear and improve its lifespan, during periods of non-use completely disconnect the product from power via breaker or by unplugging it.
- In the event of a serious operating problem, stop using immediately.

2





# If this Chauvet product requires service, contact Chauvet Technical Support.

# **RF Exposure Warning for North America and Australia**

**Warning!** This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and the user. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.






# 2. Introduction

## Features


- Compact, professional fogger gives high-impact low-lying fog effect on stage or in ballrooms
- Suitable for temporary outdoor/wet use
- Continuous operation produces fog to cover 3,230 ft<sup>2</sup> (300 m<sup>2</sup>) area
- Ultrasonic agitators combine distilled water with fog to produce low-lying fog effect
- Ships in integrated, rugged flight case with locking casters suitable for rental/touring applications with removeable cover for rear panel
- Control via on board full color display, wireless (RF) handheld remote, or DMX
- Integrated water drainage system makes cleanup fast and easy
- Use the low-lying fog fluid (LLG) to produce the CO<sup>2</sup> effect, which lasts for several minutes before dissipating
- Use without dry ice or CO2, so no special licensing/training required
- USB-C slot for software uploads



# **Product Overview**





#	Name	#	Name	
1	Fluid level indicator	9	Menu buttons	
2	Handles (x4)	10	5-pin DMX in/out	
3	Rear cover	11	3-pin DMX in/out	
4	Water reservoir	12	Power switch	
5	Fluid tank	13	USB-C port	
6	Output nozzle	14	Breaker	
7	Drainage valve	15	120/230V Power in	
8	LCD Display			





# **Product Dimensions**









# **AC Power**

The Cloud 9X IP has a fixed power supply that works with an input voltage of either 120 VAC, 60 Hz or 230 VAC, 50 Hz, depending on the specific model.

To determine the product's power requirements (circuit breaker, power outlet, and wiring), use the current value listed on the label affixed to the product's back panel, or refer to the product's specifications chart. The listed current rating indicates the product's average current draw under normal conditions.



Always connect the product to a protected circuit (a circuit breaker or fuse). Ensure the product has an appropriate electrical ground to avoid the risk of electrocution or fire. To eliminate unnecessary wear and improve its lifespan, during periods of non-use completely disconnect the product from power via breaker or by unplugging it.



Never connect the product to a rheostat (variable resistor) or dimmer circuit, even if the rheostat or dimmer channel serves only as a 0 to 100% switch.

## AC Plug

The Cloud 9X IP comes with a power input cable terminated with a Seetronic Powerkon A connector on one end and an Edison plug on the other end (U.S. market). If the power cable which came with the product has no plug, or if it is necessary to change the plug, use the table below to wire a plug.

Connection	Wire (U.S.)	Wire (Europe)	Screw Color
AC Live	Black	Brown	Yellow or Brass
AC Neutral	White	Blue	Silver
AC Ground	Green/Yellow	Green/Yellow	Green

#### **Resetting the Breaker**

This product is equipped with a resettable circuit breaker. If the breaker trips, all sections of this product will lose power.

- 1. Remove the power cord from main power.
- 2. Allow unit to cool for 15 minutes.
- 3. After 15 minutes, user may attempt to reset the breaker by pressing the button with their finger.
- 4. Plug the product's power cord into the power outlet and continue using as recommended.

#### **Control Personalities**

The Cloud 9X IP uses a 3- or 5-pin DMX data connection for its 1 control personality.



If the user is not familiar with or need more information about DMX standards or the DMX cables needed to link this product to a DMX controller, download the DMX Primer from the Chauvet website: <u>www.chauvetprofessional.com</u>.

## **DMX** Linking

The Cloud 9X IP can be linked to a DMX controller using a 3- or 5-pin DMX connection. If using other DMX-compatible products with this product, it's possible to control each individually with a single DMX controller.

#### **DMX Personalities**

The Cloud 9X IP uses a 3- or 5-pin DMX data connection for its for **3Ch** DMX personality.



For information about DMX standards, Master/Slave connectivity, or the DMX cables needed to link this product to a DMX controller, download the DMX Primer from the Chauvet website: <u>www.chauvetprofessional.com</u>.

#### **Remote Device Management**

Remote Device Management, or RDM, is a standard for allowing DMX-enabled devices to communicate bi-directionally along existing DMX cabling. Check the DMX controller's User Manual or with the manufacturer as not all DMX controllers have this capability. The Cloud 9X IP supports RDM protocol that allows feedback to make changes to menu map options.



## **USB Software Update**

The Cloud 9X IP allows for software updates with a USB device using the built-in USB port. To update the software using a USB type C flash drive, do the following:

1. Download the latest software file, APP-OUTDOOR-CLOUD9.bin, onto the root directory of a formatted USB-C flash drive. To locate the file, visit <u>https://github.com/Chauvet-Pro</u>.



The product's USB port supports up to 32GB capacity and only works with FAT32 file format.

- Once the file has been downloaded, the filename cannot be changed.
- 2. Insert the USB-C flash drive into the USB-C port of the Cloud 9X IP and turn on the product.
- 3. On the display screen, a progress bar will appear to indicate the status of the ongoing update. The progress is also display as a numerical percentage. Allow time for the software update to be completed.
- 4. Once the update is complete, a prompt will appear on the display screen to indicate a successful software update.



# The display screen may show an update summary such as APP CONTROL UPDATE, MCU IAP No Update, and Update Success.

- 5. The screen will then display the starting menu.
- 6. Remove the USB-C flash drive from the product.




# Mounting

Before mounting the product, read and follow the safety recommendations indicated in the Safety Notes.

#### Orientation


Always mount this product in a safe position, making sure there is adequate room for ventilation, configuration, and maintenance

#### **Mounting Diagram**



**Surface Mount** 

**Stacking Diagram** 



**Stack Mount** 

When stack mounting the Cloud 9X IP, do not exceed more than 3 products. Stacking units beyond this total may result in serious injury or damage.





# 4. Operation Control Panel Description

Button	Function	
<menu> Exits from the current menu or function</menu>		
<ul> <li><up timer=""></up></li> <li>UP navigates upwards through the menu list and increases the numeric values when in a function.</li> <li>TIMER starts the timer controlled operation.</li> </ul>		
<down volume=""></down>	<b>DOWN</b> navigates downwards through the menu list and decreases the numeric value when in a function. <b>VOLUME</b> triggers the pump to modify the output volume.	
<enter stop=""></enter>	<b>ENTER</b> enables the currently displayed menu or sets the currently selected value into the selected function. <b>STOP</b> turns the fog output off.	

# **Control Options**

Set the Cloud 9X IP starting address in the **001-510** DMX range. This enables control of up to 32 products in the 3-channel personality.

### Menu Map

Refer to the Cloud 9X IP product page on <u>www.chauvetprofessional.com</u> for the latest menu map.

Main Level	Programming Levels	Description	
INTERVAL SET	5-600S	Sets the interval fog output time	
DURATION SET	5–300S	Sets the continuous fog output time	
VOLUME OUT	1-100%	Sets the fog volume output	
FAN SPEED	0-100%	Sets the air volume output. Fan stops at 0	
	OFF		
HUMIDITY	MINIMUM	Selects the density of the fog output	
HOMIDITT	MEDIUM		
	MAXIMUM		
DMX 512	1–510	Selects the DMX starting address	
RDM-UID		Unique RDM identification number	
AUTO RUN LAST	ON	Automatically sets the values to previous	
SETTINGS	OFF	selections	
AUTO-REFILL	ON	Turns on or off the water refill function when	
ACTO-REFILE	OFF	an external hose is connected	
HEATER	ON	Turns on or off the heater function	
HEALEN	OFF		
WIRELESS PAIRING	ON	Activates the pairing function for wireless	
	OFF	device	
BACKLIGHT TIMER	ON	Turns on or off the timer for the LCD display	
	OFF	backlight	

# **DMX** Configuration

Use control configurations to operate the product with a DMX controller.



See the <u>Starting Address</u> section for the highest selectable starting address for each

personality.

Make sure that the starting addresses on the various products do not overlap due to the new personality setting.

#### Starting Address

Each product will respond to a unique starting address from the controller. All products with the same starting address will respond in unison. To set the starting address in DMX mode:

- 1. Go to the DMX 512.
- 2. Select the starting address (001-510).

Personality	Highest Address
1 Ch	510



Connecting a DMX controller to the Cloud 9X IP will automatically navigate to the DMX Starting Address menu.

# **DMX Channel Assignments and Values**

#### DMX

Channel	Function	Value	Percent/Setting
1	Ean Spood	000 ⇔ 010	No function
1	Fan Speed	011 ⇔ 255	1–100%, slow to fast
2	Fog Output	000 ⇔ 010	No function
2	rog Output	011 🗇 255	1–100%, thin to heavy
3	Atomizer	000 ⇔ 010	No function
3		011 ⇔ 255	1–100%, thin to heavy



The atomizer combines the distilled water with the fog fluid (LLG) to produce a low-lying fog effect. Channels 2 and 3 should be used in unison to successfully achieve this effect.

# Standalone Configuration

Use standalone configuration to operate the product without a DMX controller.

#### Interval

To set the interval time between fog output:

- 1. Press <Menu> to get to the INTERVAL SET page.
- 2. Press the <UP> or <DOWN> to select the interval smoke spray time, from (5-600S)

#### Duration

To set the interval fog output time:

- 1. Press <Menu> to get to the DURATION SET page.
- 2. Press the <UP> or <DOWN> to select the continuous smoke spray time, from (5-300S).

#### Volume

To set the interval time between fog output:

- 1. Press **<Menu>** to get to the **VOLUME OUT** page.
- 2. Press the <UP> or <DOWN> to select the smoke volume output, from 1-100%.

#### Fan

To set the air volume output size:

- 1. Press <Menu> to get to the FAN SPEED page.
- 2. Press the **<UP>** or **<DOWN>** to select the air volume output, from **0-100%**. The fan stops working when the value is at **0**.





#### Humidity

To set the humidity output:

- 1. Press **<Menu>** to get to the **HUMIDITY** page.
- 2. Press the **<UP>** or **<DOWN>** to select the humidity output, from **OFF**, **Minimum**, **Medium**, or **Maximum**.

#### DMX

To set the DMX address:

- 1. Press <Menu> to get to the DMX 512 page.
- 2. Press the **<UP>** or **<DOWN>** to select the starting address, from **1-510**.

#### RDM

To view the RDM ID:

- 1. Press **<Menu>** to get to the **RDM** page.
- 2. The current RDM ID will appear on the screen.

#### Auto Run Last Settings

To restore to the last working state after a power failure and restart:

- 1. Press **<Menu>** to get to the **AUTO RUN LAST SETTING** page.
- 2. Press the **<UP>** or **<DOWN>** to select from, **OFF** or **ON**.

#### Auto-Refill

To turn on the auto-refill feature when an external hose is connected to the Cloud 9X IP:

- 1. Press **<Menu>** to get to the **AUTO-REFILL** page.
- 2. Press the **<UP>** or **<DOWN>** to select from, **OFF** or **ON**.

#### Heater

To turn on the heater:

- 1. Press **<Menu>** to get to the **HEATER** page.
- 2. Press the **<UP>** or **<DOWN>** to select from, **OFF** or **ON**.

#### Wireless

To pair the Cloud 9X IP to the wireless remote:

- 1. Press <Menu> to get to the WIRELESS PAIRING page.
- 2. Press the **<UP>** or **<DOWN>** to select from, **OFF** or **ON**.

#### Backlight

To control the time duration of the backlight for the LCD display:

- 1. Press <Menu> to get to the BACKLIGHT TIMER page.
- 2. Press the <UP> or <DOWN> to select from, OFF or ON.

### Timed Output Operation

The Cloud 9X IP offers a timed output operation shortcut screen, which allows easier access to some stand alone functions. To navigate to the Timed Output Operation screen:

- 1. Press **<TIMER>**.
- 2. Press <Menu> repeatedly to select from Interval, Duration, Volume Out, Fan Speed, or Humidity Out.
- 3. Press **<UP>** or **<DOWN>** to select the desired value.

#### Volume Output Operation

The Cloud 9X IP offers a volume output operation shortcut screen, which allows easier access to some stand alone functions. To navigate to the Output Operation screen:

- 1. Press <VOLUME>.
- 2. Press <Menu> repeatedly to select from Volume Out or Fan Speed.
- 3. Press **<UP>** or **<DOWN>** to select the desired value.



# 5. Maintenance

# Fog Machine Maintenance

Proper maintenance of Chauvet atmospheric products will increase the reliability and lifespan of products. Maintenance should be completed every 30-90 days, depending on how frequently products are used.




When performing maintenance, use Chauvet Fog Cleaner Quart (FCQ) for U.S., or the cleaning Fluid 250 (CF250) for EU products. Run the fluid through the system to reduce the accumulation of particulate matter in the heating element.

DO NOT allow the atmospheric product to become clogged. Once a product is clogged, the cleaning procedure is unlikely to effectively clear the clog.

The recommended cleaning procedure is as follows:

- 1. Unplug the product from power.
- 2. Remove the hose from the fluid tank/reservoir. Remove the FCQ/CF250 screw cap and place the hose in the Fog Cleaner bottle.
- 3. Connect the product to power and allow it to warm up (if not already warmed up).
- 4. Run the FCQ/CF250 through the product in a well-ventilated area for 60-90 seconds of continuous, full output.



- 5. Move the hose from the FCQ/CF250 to a small bottle with distilled water (only use distilled water, not tap or any other water or liquid). Run distilled water through the product for at least 30 seconds to clear any remaining cleaning solution from the pump and heater.
  - Turn off the product when not in use or when storing.
  - DO NOT leave the cleaning solution in the product.
  - DO NOT operate the product without fluid at any time.
    - DO NOT leave Chauvet atmospheric fluid in the product tank/reservoir for more than 10 days without use.



Fog Cleaner Quart (FCQ) and Cleaning Fluid 250 (CF250) were specifically developed by Chauvet to clean Chauvet atmospheric products equipped with heaters. Use FCQ/CF250 regularly, no longer than 90 days between cleanings (30-60 days if the product is used more frequently), to prevent shortening the life of the product.

#### Storage

Before storing the Chauvet atmospheric product, run FCQ/CF250 through the system as described in the cleaning procedure above and do not refill the tank with atmospheric fluid before storing the product.



#### Test-run the Chauvet atmospheric products monthly to achieve the best performance.

Chauvet does not guarantee products will withstand storage for long durations, even if the cleaning process is followed. Please use caution and test regularly to ensure the product continues to function properly.



# 6. Technical Specifications

Dimensions	and	Weight
------------	-----	--------

Dimensions and weight			
Length	Width	Height	Weight
30 in (762 mm)	17.36 in (441 mm)	19.22 in (488.1 mm)	76.6 lb (34.75 kg)
Note: Dimensions in inche	es are rounded.		
Power			
Power Supply Typ		-	/oltage Selection
Fixed	230 VAC	,	Fixed
	120 VAC	C, 60 HZ	
Parameter	120 V,		230 V, 50 Hz
Consumption	121	-	1281 W
Operating Current			5.59 A
Breaker	10 A, 1	250 V	10 A, 250 V
Power I/O	U.S./Wo		UK/Europe
Power Input Connect			tronic Powerkon IP65
Power Cable plug		son	Local plug
Operation/Capacity/Co	onsumption		
Fluid Tank Capacity	Primary Water Tank Capacity	Secondary Water Tank Capacity	Total Water Tank Capacity
0.8 gal (3 l)	5.28 gal (20 l)	2.48 gal (9.4 l)	7.77 gal (29.4 l)
Heat-up Time	Fluid Consumption	Max Run Time (100% Output)	Required Accessories
5 minutes	27.8 ml/min (0.007 gal/min	n) 2 hours	LLG
Thermal			
Maximum External Tem	perature Cooling	System	
113 °F (45 °C)	Fan-assisted	Convection	
DMX			
I/O Connector	Channe	I Range	
3-or 5-pin XLR	3	3	
Ordering			
Product Name	Item Name	Item Code	UPC Number
Cloud 9X IP	Cloud 9X IP	05072617	781462229658
Cloud 9X IP 230V	220VCloud 9X IP	05072677	781462230258







# **Contact Us**

General Information	Technical Support
Chauvet World Headquarters	
Address: 3360 Davie Rd., Suite 509	Voice: (844) 393-7575
Davie, FL 33314	Fax: (954) 756-8015
Voice: (954) 577-4455	Email: <u>chauvetcs@chauvetlighting.com</u>
Fax: (954) 929-5560	
Toll Free: (800) 762-1084	Website: www.chauvetprofessional.com
Chauvet U.K.	
Address: Pod 1 EVO Park	Email: UKtech@chauvetlighting.eu
Little Oak Drive, Sherwood Park	
Nottinghamshire, NG15 0EB	Website: www.chauvetprofessional.eu
UK	
Voice: +44 (0) 1773 511115	
Fax: +44 (0) 1773 511110	
Chauvet Benelux	
Address: Vaartlaan 9	Email: <u>BNLtech@chauvetlighting.eu</u>
9800 Deinze	
Belgium	Website: www.chauvetprofessional.eu
Voice: +32 9 388 93 97	
Chauvet France	
Address: 3, Rue Ampère 91380 Chilly-Mazarin	Email: <u>FRtech@chauvetlighting.fr</u>
France	Website: www.chauvetprofessional.eu
Voice: +33 1 78 85 33 59	
Chauvet Germany	
Address: Bruno-Bürgel-Str. 11 28759 Bremen	Email: <u>DEtech@chauvetlighting.de</u>
Germany	Website: www.chauvetprofessional.eu
Voice: +49 421 62 60 20	
Chauvet Mexico	
Address: Av. de las Partidas 34 - 3B (Entrance by Calle 2)	Email: <u>servicio@chauvet.com.mx</u>
Zona Industrial Lerma	Website: www.chauvetprofessional.mx
Lerma, Edo. de México, CP 52000	

### Warranty & Returns

For warranty terms and conditions and return information, please visit our website.

For customers in the United States and Mexico: <u>www.chauvetlighting.com/warranty-registration</u>. For customers in the United Kingdom, Republic of Ireland, Belgium, the Netherlands, Luxembourg, France, and Germany: <u>www.chauvetlighting.eu/warranty-registration</u>.